



- Industry 4.0 adopted Tablet double column micron height gauge with computerized MICS system with 3.5" color Touchscreen
- Modification with Touch-trigger Probe with interchangeable Stylus M2.5 (compatible with dial indicator extensions and anvils)
- Patents US10184772, UA144230, UA126928, UA2022050400
- Functions: On-line Graphic, Analog scale, Go/NoGo, Max/Min, Formula, Timer, Linear correction, Temperature correction
- Measuring HUB: Wireless MICROTECH instrument connection, Synchronization, 2D mode, 2D Graph, Probe mode, Compensation
- Memory manager: 2000 values, Folders system, Statistics mode, Memory data transfer
- 4 MODES DATA TRANSFER: WIRELESS to MDS app (Windows, Android, iOS, MacOS); WIRELESS HID, WIRELESS HID+MAC, USB HID
- Calibration certificate included (ISO17025 (Iac MRA))





Item No	Range	Resolut.	Accur.	3D Touch Probe	2D connection	Measuring	Graphic	Analog scale	Preset	Go/NoGo	Max/Min	Formula	Timer	Temp comp	Linear corr	Calibr date	Recharge	Memory	WIRELESS	USB	Display	
																						mm
144303271	0-300	0,001	±15	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
144306271	0-600		±20	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLET MICRON HEIGHT GAUGE with 3D Touchprobe																						
144303281	20-320	0,001	±10	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
144306281	20-620		±15	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•




ON-LINE GRAPHIC MODE


OPTIONAL ACCESSORIES




DOWNLOAD APP



- Industry 4.0 adopted Tablet double column micron height gauge with computerized MICS system with 3.5" color Touchscreen
- MANUAL 2D MEASURING with CONTACT or NON-CONTACT (Laser) axis
- Patents US10184772, UA144230, UA126928, UA2022050400
- Functions: On-line Graphic, Analog scale, Go/NoGo, Max/Min, Formula, Timer, Linear correction, Temperature correction
- Measuring HUB: Wireless MICROTECH instrument connection, Synchronization, 2D mode, 2D Graph, Probe mode, Compensation
- Memory manager: 2000 values, Folders system, Statistics mode, Memory data transfer
- 4 MODES DATA TRANSFER: WIRELESS to MDS app (Windows, Android, iOS, MacOS); WIRELESS HID, WIRELESS HID+MAC, USB HID
- Calibration certificate included (ISO17025 (Iac MRA))



Item No	Range		Resolut.		Accur.	LASER sensor	2D connection	Measuring HUB	Graphic	Analog scale	Preset	Go/NoGo	Max/Min	Formula	Timer	Memory	WIRELESS	USB	Display	
	Z	X	Z	X																
144303371	0-300	0-25	0,001	0,0001	±15	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
144306371	0-600				±20	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
2D TABLET HEIGHT GAUGE with LASER probe																				
144303391	0-300	±4	0,001	0,010	±15	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
144303392	0-300	±20			0,010	±15	•	•	•	•	•	•	•	•	•	•	•	•	•	•
144306391	0-600	±4	0,001	0,002	±20	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
144306392	0-600	±20				0,010	±20	•	•	•	•	•	•	•	•	•	•	•	•	•



ON-LINE GRAPHIC MODE

